
LEGEND EXISTING GROUND FLOOR PROPOSED RETAINING WALL







Specialised Building Solutions

Stress Free Building Approvals

UNIT 10/1 IRWIN ROAD WANGARA WA 6065 ph 62094130 drafting@specialisedbuildingsolutions.com

GENERAL:

- THESE DRAWINGS HAVE BEEN PREPARED FOR THE PURPOSE OF OBTAINING BUILDING APPROVALS AND MUST STRICTLY READ IN CONJUNCTION WITH CLIENT INSTRUCTIONS, ANY SPECIFICATIONS, INTERIOR SCHEDULES, ENGINEERING PLANS/DETAILS/ CERTIFICATIONS AND TATIONS AND ANY OTHER WORKING DETAILS PROVIDED OR REQUIRED BY OTHERS THROUGHOUT THE CONSTRUCTION PROCESS. PLEASE REPORT ALL DISCREPANCIES TO THIS OFFICE IMMEDIATELY.

- ALL LEVELS, DIMENSIONS, POISTIONS AND HEIGHTS TO BE CHECKED AND VERIFIED ON SITE BEFORE COMMENCEMENT OF ANY BUILDING WORKS. - FIGURED DIMENSIONS ARE TO BE TAKEN. NO SCALING OF DRAWINGS ALLOWED.
- OF DRAWINGS ALLOWED.

 IN ALL CASES WHERE HEIGHTS OR DIMENSIONS ARE
 NOMINATED, THOSE SHOULD ALL BE CONSIDERED
 APPROXIMATE AND MAY BE SUBJECT TO VARIATIONS
 DUE TO THE MATERIALS USED OR METHODS UNDERTAKEN.
- ALL WORK IS TO COMPLY WITH THE LATEST AUSTRALIAN STANDARDS, BCA AND RELEVANT STATUTORY CODES. - ALL THIRD PARTY PRODUCTS ARE TO BE INSTALLED
- TO MANUFACTURERS SPECIFICATIONS AND DETAILS. ALL 3D DRAWINGS, RENDERED VISUALIZATIONS
- ALL 3D DRAWINGS, RENDERED VISSALIZATIO AND PERSPECTIVES ARE INDICATIVE ONLY. IN ALL CASES PLANS, ELEVATIONS, DETAILS, SPECIFICATIONS AND CLIENT SELECTIONS TAKE PRECEDENCE.
- FINAL ONSITE CONSTRUCTION DETAILS ARE AT THE DISCRETITION OF THE BUILDER SUBJECT TO EXISTING CONSTRUCTION WORKS, SITE CONDITIONS, ENGINEERING DETAILS AND ANY SPECIFICATIONS PROVIDED.
- DIMENSIONS SHOWN ON PLAN ARE BRICK SIZES. PLEASE ALLOW AN EXTRA 10mm TO EACH WALL FOR PLASTER AND/OR PLASTER BOARD. THIS ALLOWANCE SHOULD BE CONSIDERED WHEN CALCULATING CLEARANCES FOR FUTURE FITTINGS.
- IT IS THE RESPONSIBILITY OF THE BUILDER/OWNER TO ENGAGE A LICENCED SURVEYOR TO ACCURATELY DETERMINE BOUNDARY LOCATIONS AND REQUIRED SETBACKS PRIOR TO CONSTRUCTION COMMENCEMENT SHOULD THEY NOT BE ABLE TO ACCURATELY BE DETERMINED ON SITE
- THE BUILDER SHALL RECORD ALL VARIATIONS TO THE DRAWINGS AND BE RESPONSIBLE FOR PRODUCING AS CONSTRUCTED DRAWINGS IN ELECTRONIC FORMAT AT THE COMPLETITION OF WORKS, IF REQUIRED BY THE CLIENT.
- THE HOMEOWNER IS SOLELY RESPONSIBLE FOR THE DESIGN AND CONSTRUCTION OF ALL FUTURE WORKS AND ANY EFFECT IT SHALL HAVE ON THE EXISTING STRUCTURE.
- EXIST AND CONSTRUCTION SAFETY IS THE RESPONSIBILITY OF THE BUILDER. THE BUILDER SHALL IDENTIFY ANY HAZARDS RELATING TO THE CONSTRUCTION OF THE WORKS AND PUT SUFFICIENT MEASURES IN PLACE TO CONTROL THESE RISKS, INCLUDING COMPLETING ALL NECESSARY JOB SAFETY ANALYSIS SHEETS. THE BUILDER SHALL ENSURE THAT ALL METHODS OF CONSTRUCTION
 MEET THE REQUIREMENTS OF WORKSAFE AND
 OCCUPATIONAL HEALTH AND SAFETY LEGISLATION.

Drawn | Checked CB | CS Plot Date: 27/08/2021 Project Status Shire Approval

Client Site:

Steven Wyatt 17 Hannaford Avenue Clarkson, WA 6030

DRAWING TITLE:

Site and Location Drawings Site Plan

PROJECT NAME :

Proposed Retaining Wall / Front Fence

REVISION NO.


Α

DRAWING NO.



LEGEND

DENOTES NEW RETAINING



Proposed Ground FL



Specialised Building Solutions

Stress Free Building Approvals

UNIT 10/1 IRWIN ROAD WANGARA WA 6065 ph 62094130 drafting@specialisedbuildingsolutions.com

GENERAL:

- THESE DRAWINGS HAVE BEEN PREPARED FOR THE PURPOSE OF OBTAINING BUILDING APPROVALS AND MUST STRICTLY READ IN CONJUNCTION WITH CLIENT INSTRUCTIONS, ANY SPECIFICATIONS, INTERIOR SCHEDULES, ENGINEERING PLANS/DETAILS/ CERTIFICATIONS AND TATIONS AND ANY OTHER WORKING DETAILS PROVIDED OR REQUIRED BY OTHERS THROUGHOUT THE CONSTRUCTION PROCESS. PLEASE REPORT ALL DISCREPANCIES TO THIS OFFICE IMMEDIATELY.

ALL LEVELS, DIMENSIONS, POISTIONS AND HEIGHTS TO BE CHECKED AND VERIFIED ON SITE BEFORE COMMENCEMENT OF ANY BUILDING WORKS. - FIGURED DIMENSIONS ARE TO BE TAKEN. NO SCALING OF DRAWINGS ALLOWED.

OF DRAWINGS ALLOWED.

- IN ALL CASES WHERE HEIGHTS OR DIMENSIONS ARE
NOMINATED, THOSE SHOULD ALL BE CONSIDERED
APPROXIMATE AND MAY BE SUBJECT TO VARIATIONS
DUE TO THE MATERIALS USED OR METHODS UNDERTAKEN.

- ALL WORK IS TO COMPLY WITH THE LATEST AUSTRALIAN STANDARDS, BCA AND RELEVANT STATUTORY CODES.

- ALL THIRD PARTY PRODUCTS ARE TO BE INSTALLED TO MANUFACTURERS SPECIFICATIONS AND DETAILS. ALL 3D DRAWINGS, RENDERED VISUALIZATIONS

- ALL 3D DRAWINGS, RENDERED VISSALIZATIO AND PERSPECTIVES ARE INDICATIVE ONLY. IN ALL CASES PLANS, ELEVATIONS, DETAILS, SPECIFICATIONS AND CLIENT SELECTIONS TAKE PRECEDENCE. - FINAL ONSITE CONSTRUCTION DETAILS ARE AT THE

DISCRETITION OF THE BUILDER SUBJECT TO EXISTING CONSTRUCTION WORKS, SITE CONDITIONS, ENGINEERING DETAILS AND ANY SPECIFICATIONS PROVIDED. DIMENSIONS SHOWN ON PLAN ARE BRICK SIZES.

PLEASE ALLOW AN EXTRA 10mm TO EACH WALL FOR PLASTER AND/OR PLASTER BOARD. THIS ALLOWANCE SHOULD BE CONSIDERED WHEN CALCULATING CLEARANCES FOR FUTURE FITTINGS.

IT IS THE RESPONSIBILITY OF THE BUILDER/OWNER TO ENGAGE A LICENCED SURVEYOR TO ACCURATELY DETERMINE BOUNDARY LOCATIONS AND REQUIRED SETENCES PRIOR TO CONSTRUCTION COMMENCEMENT SHOULD THEY NOT BE ABLE TO ACCURATELY BE DETERMINED ON SITE

THE BUILDER SHALL RECORD ALL VARIATIONS TO THE DRAWINGS AND BE RESPONSIBLE FOR PRODUCING AS CONSTRUCTED DRAWINGS IN ELECTRONIC FORMAT AT THE COMPLETITION OF WORKS, IF REQUIRED BY THE CLIENT.

THE HOMEOWNER IS SOLELY RESPONSIBLE FOR THE DESIGN AND CONSTRUCTION OF ALL FUTURE WORKS AND ANY EFFECT IT SHALL HAVE ON THE EXISTING STRUCTURE.

EXIST AND CONSTRUCTION SAFETY IS THE RESPONSIBILITY OF THE BUILDER. THE BUILDER SHALL IDENTIFY ANY HAZARDS RELATING TO THE CONSTRUCTION OF THE WORKS AND PUT SUFFICIENT MEASURES IN PLACE TO CONTROL THESE RISKS, INCLUDING COMPLETING ALL NECESSARY JOB SAFETY ANALYSIS SHEETS. THE BUILDER SHALL ENSURE THAT ALL METHODS OF CONSTRUCTION
MEET THE REQUIREMENTS OF WORKSAFE AND
OCCUPATIONAL HEALTH AND SAFETY LEGISLATION.

Drawn | Checked CB | CS Plot Date: 27/08/2021 Project Status Shire Approval

Client Site:

Steven Wyatt 17 Hannaford Avenue Clarkson, WA 6030

DRAWING TITLE:

Architectural Plans

Proposed Plan

PROJECT NAME :

Proposed Retaining Wall / Front Fence


REVISION NO.


Α

DRAWING NO.

3









Specialised Building Solutions

Stress Free Building Approvals

UNIT 10/1 IRWIN ROAD WANGARA WA 6065 ph 62094130 drafting@specialisedbuildingsolutions.com

GENERAL:

- THESE DRAWINGS HAVE BEEN PREPARED FOR THE PURPOSE OF OBTAINING BUILDING APPROVALS AND MUST STRICTLY READ IN CONJUNCTION WITH CLIENT INSTRUCTIONS, ANY SPECIFICATIONS, INTERIOR SCHEDULES, ENGINEERING PLANS/DETAILS/ CERTIFICATIONS AND TATIONS AND ANY OTHER WORKING DETAILS PROVIDED OR REQUIRED BY OTHERS THROUGHOUT THE CONSTRUCTION PROCESS. PLEASE REPORT ALL DISCREPANCIES TO THIS OFFICE IMMEDIATELY.

- ALL LEVELS, DIMENSIONS, POISTIONS AND HEIGHTS TO BE CHECKED AND VERIFIED ON SITE BEFORE COMMENCEMENT OF ANY BUILDING WORKS. - FIGURED DIMENSIONS ARE TO BE TAKEN. NO SCALING OF DRAWINGS ALLOWED.
- OF DRAWINGS ALLOWED.

 IN ALL CASES WHERE HEIGHTS OR DIMENSIONS ARE
 NOMINATED, THOSE SHOULD ALL BE CONSIDERED
 APPROXIMATE AND MAY BE SUBJECT TO VARIATIONS
 DUE TO THE MATERIALS USED OR METHODS UNDERTAKEN.
- ALL WORK IS TO COMPLY WITH THE LATEST AUSTRALIAN STANDARDS, BCA AND RELEVANT STATUTORY CODES.
- ALL THIRD PARTY PRODUCTS ARE TO BE INSTALLED TO MANUFACTURERS SPECIFICATIONS AND DETAILS. ALL 3D DRAWINGS, RENDERED VISUALIZATIONS
- ALL 3D DRAWINGS, RENDERED VISSALIZATIO AND PERSPECTIVES ARE INDICATIVE ONLY. IN ALL CASES PLANS, ELEVATIONS, DETAILS, SPECIFICATIONS AND CLIENT SELECTIONS TAKE PRECEDENCE.
- FINAL ONSITE CONSTRUCTION DETAILS ARE AT THE DISCRETITION OF THE BUILDER SUBJECT TO EXISTING CONSTRUCTION WORKS, SITE CONDITIONS, ENGINEERING DETAILS AND ANY SPECIFICATIONS PROVIDED.
- DIMENSIONS SHOWN ON PLAN ARE BRICK SIZES. PLEASE ALLOW AN EXTRA 10mm TO EACH WALL FOR PLASTER AND/OR PLASTER BOARD. THIS ALLOWANCE SHOULD BE CONSIDERED WHEN CALCULATING CLEARANCES FOR FUTURE FITTINGS.
- IT IS THE RESPONSIBILITY OF THE BUILDER/OWNER - IT IS THE RESPONSIBILITY OF THE BUILDERFOWNER
 TO ENGAGE A LICENCED SURVEYOR TO
 ACCURATELY DETERMINE BOUNDARY LOCATIONS
 AND REQUIRED SETBACKS PRIOR TO CONSTRUCTION
 COMMENCEMENT SHOULD THEY NOT BE ABLE TO
 ACCURATELY BE DETERMINED ON SITE.
- ACCURALIELY BE DETERMINED ON SITE.
 THE BUILDER SHALL RECORD ALL VARIATIONS TO
 THE DRAWINGS AND BE RESPONSIBLE FOR
 PRODUCING AS CONSTRUCTED DRAWINGS IN
 ELECTRONIC FORMAT AT THE COMPLETITION OF
 WORKS, IF REQUIRED BY THE CLIENT.
- WORKS, IF REQUIRED BY THE CLIENT.

 THE HOMEOWNER IS SOLELY RESPONSIBLE FOR THE DESIGN AND CONSTRUCTION OF ALL FUTURE WORKS AND ANY EFFECT IT SHALL HAVE ON THE EXISTING STRUCTURE.
- EXIST IN G STACCTION.

 SITE AND CONSTRUCTION SAFETY IS THE RESPONSIBILITY
 OF THE BUILDER. THE BUILDER SHALL IDENTIFY ANY
 HAZARDS RELATING TO THE CONSTRUCTION OF THE
 WORKS AND PUT SUFFICIENT MEASURES IN PLACE TO
 CONTROL THESE RISKS, INCLUDING COMPLETING ALL
 NECESSARY JOB SAFETY ANALYSIS SHEETS. THE BUILDER NECESSARY JOB SAFELY AWART SIS STREETS. THE BUILDE SHALL ENSURE THAT ALL METHODS OF CONSTRUCTION MEET THE REQUIREMENTS OF WORKSAFE AND OCCUPATIONAL HEALTH AND SAFETY LEGISLATION.

Drawn | Checked CB | CS Plot Date: 27/08/2021 Project Status Shire Approval

Client Site:

Steven Wyatt 17 Hannaford Avenue Clarkson, WA 6030

DRAWING TITLE:

Elevations

Elevations

PROJECT NAME :

Proposed Retaining Wall / Front Fence

REVISION NO.

Α

DRAWING NO.

