
GROUND LEVELS SHOWN ARE APPROXIMATE, BUILDER IS TO CHECK ALL LEVELS AND POSITION ONSITE WITH OWNER BEFORE COMMENCING WORK.



01 SITE PLAN
- 1:200

GENERAL CONSTRUCTION NOTES:

- ALL CONSTRUCTION TO CONFORM TO B.C.A
 AND AUSTRALIAN STANDARDS AND IN
 ACCORDANCE WITH RELEVANT SERVICES AND
 AUTHORITY REGULATIONS
- 2. ALL DIMENSIONS ARE TO BE CONFIRMED BY BUILDER ON SITE. REFER TO WRITTEN DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED.
- 3. ALL SEWER AND STORMWATER DRAINAGE TO BE IS STRICT ACCORDANCE WITH THE REQUIREMENTS OF THE LOCAL COUNCIL.
- 4. SUITABLE SITE AREA DRAINAGE IS TO BE CARRIED OUT BY THE BUILDER TO ENSURE THAT STORMWATER DOES NOT POND AGAINST WALL OF THE DWELLING.

5. CONTRACTOR SHALL PROVIDE ALL NECESSARY

FLASHINGS, CAPPINGS AND OTHER ITEMS
REQUIRED TO MAKE THE ROOF WATERTIGHT AND
COMPLETE.
6. REFER TO ENGINEERS DESIGN,
DOCUMENTATION AND CALCULATION FOR DETAILS
ON ALL STRUCTURAL COMPONENTS
7. ALL TIMBER FRAMING SHALL BE IN
ACCORDANCE WITH AS 1684.2010
(RESIDENTIAL TIMBER FRAMED CONSTRUCTION).
8. ALL ELECTRICAL WORK (INC. WIRINGS &
INSTALLATIONS) CARRIED OUT, TO BE IN
ACCORDANCE WITH AS 3000.


SITE NOTES

9. BUILDER TO VERIFY THE LOCATION OF ALL SERVICES PRIOR TO CONSTRUCTION.
10. DO NOT SCALE DIMENSIONS OFF PLAN. FIGURED DIMENSIONS TO BE USED AT ALL TIMES.

PLUMBING NOTES

11. DISCHARGE ROOF WATER DRAINAGE TO STORMWATER CONNECTION POINT AS PER COUNCIL'S REQUIREMENT.
12. ROOFING CONTRACTOR AND PLUMBER TO ENSURE THAT THE NUMBER OF DOWNPIPES SHOWN ON PLAN IS ADEQUATE AND LOCATED IN THE OPTIMUM POSITIONS.





DRAWING No.

A02

LOCAL AUTHORITY


WANNEROO

PROPOSED CARPORT

PLAN


WANNEROOCARPORTS COM AU

TEL: 08 9302 1965



CARPORT
ELEVATION 1:50

ALL CONC FOOTINGS &
STRUCTURAL ELEMENTS TO ENG
DESIGN & SPECIFICATIONS



CARPORT
ELEVATION 1:50

ALL CONC FOOTINGS &
STRUCTURAL ELEMENTS TO ENG
DESIGN & SPECIFICATIONS

GENERAL CONSTRUCTION NOTES:

- 1. ALL CONSTRUCTION TO CONFORM TO B.C.A AND AUSTRALIAN STANDARDS AND IN ACCORDANCE WITH RELEVANT SERVICES AND AUTHORITY REGULATIONS
- 2. ALL DIMENSIONS ARE TO BE CONFIRMED BY BUILDER ON SITE. REFER TO WRITTEN DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED.
- 3. ALL SEWER AND STORMWATER DRAINAGE TO BE IS STRICT ACCORDANCE WITH THE REQUIREMENTS OF THE LOCAL COUNCIL.
- 4. SUITABLE SITE AREA DRAINAGE IS TO BE CARRIED OUT BY THE BUILDER TO ENSURE THAT STORMWATER DOES NOT POND AGAINST WALL OF THE DWELLING.
- 5. CONTRACTOR SHALL PROVIDE ALL NECESSARY FLASHINGS, CAPPINGS AND OTHER ITEMS REQUIRED TO MAKE THE ROOF WATERTIGHT AND COMPLETE.
 6. REFER TO ENGINEERS DESIGN, DOCUMENTATION AND CALCULATION FOR DETAILS ON ALL STRUCTURAL COMPONENTS
 7. ALL TIMBER FRAMING SHALL BE IN
- ACCORDANCE WITH AS 1684.2010
 (RESIDENTIAL TIMBER FRAMED CONSTRUCTION).


 _8. ALL ELECTRICAL WORK (INC. WIRINGS &
 INSTALLATIONS) CARRIED OUT, TO BE IN
 ACCORDANCE WITH AS 3000.

SITE NOTES

BUILDER TO VERIFY THE LOCATION OF ALL SERVICES PRIOR TO CONSTRUCTION.
 DO NOT SCALE DIMENSIONS OFF PLAN.
 FIGURED DIMENSIONS TO BE USED AT ALL TIMES.

PLUMBING NOTES

- 11. DISCHARGE ROOF WATER DRAINAGE TO STORMWATER CONNECTION POINT AS PER COUNCIL'S REQUIREMENT.
- 12. ROOFING CONTRACTOR AND PLUMBER TO ENSURE THAT THE NUMBER OF DOWNPIPES SHOWN ON PLAN IS ADEQUATE AND LOCATED IN THE OPTIMUM POSITIONS.





TEL: 08 9302 1965

ADDRESS
LOT 237 #89 MOORPARK AVENUE
YANCHEP WA 6035

PROPOSAL
PROPOSED CARPORT
ELEVATIONS

ADATE
SJL
JULY 2022
AS NOTED @ A3
CHECKED
DATE
ISSUE
LOCAL AUTHORITY
WANNEROO
A03

REV.
WANNEROO
A03