WASTE MANAGEMENT PLAN



LOT 1022 (NO.150) ST ANDREWS DRIVE, YANCHEP

PROPOSED CHILD CARE PREMISES CITY OF WANNEROO

Prepared for

Germano Designs and the landowners for the construction of a new child care premises on Lot 1022 (No.150) St Andrews Drive, Yanchep.

Prepared by

CF Town Planning & Development

Planning & Development Consultants

Address: 3/1 Mulgul Road, Malaga WA 6090

Tel: 92492158 Mb: 0407384140

Email: carlof@people.net.au

Carlo Famiano Director

CF Town Planning & Development

Name	Position	Document Revision	Date
Mr Carlo Famiano	Town Planner	Waste Management Plan	11 October 2023

All rights are reserved by CVF Nominees Pty Ltd trading as CF Town Planning & Development. Other than for the purposes of and subject to conditions prescribed under the Copyright Act 1968 (C), no part of this report may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic or otherwise, without the prior written permission of CF Town Planning & Development.

Contents

1.0	BAC	KGROUND & DESCRIPTION	4
	1.1	Building Area	4
2.0	PUR	POSE OF THE WASTE MANAGEMENT PLAN	5
3.0	KEY	REFERENCE MATERIAL	5
4.0	ESTI	MATED VOLUMES & BIN TYPES	5
	4.1 4.2 4.3	Type of Waste Generated Volume Bin Type	5 7 8
5.0	COL	LECTION FREQUENCY & PROVIDER	9
6.0	LOC	ATION, SITES & FEATURES OF BIN STORAGE AREA	10
	6.1 6.2	Bin Storage Area & Layout Bin Storage Location & Feature	10 11
7.0	NOIS	SE, ODOURS & MINIMIZING LANDFILL	13
8.0	SCR	EENING & BLENDING OF STORAGE AREA	14
9.0	IMPA	ACT ON ADJACENT/ADJOINING PROPERTIES	15
10.0	GEN	ERAL WASTE & RECYCLE TRANSFER	15
11.0	MAN	AGEMENT REQUIREMENTS (WASTE MANAGEMENT)	15
12.0	CON	STRUCTION WASTE	16
13.0	CON	CLUSION	16

List of Appendices

Appendix 1: Bin Store Location

Appendix 2 - Waste Truck Movement

Appendix 3: - Site Development Plans



1.0 BACKGROUND & DESCRIPTION

CF Town Planning & Development have been commissioned by Germano Designs and the landowners to prepare a Waste Management Plan (WMP) in support of the development application currently being considered by the City of Wanneroo for a new child care premises on Lot 1022 (No.150) St Andrews Drive, Yanchep ('Subject Land').

The subject land is classified 'Residential' zone under the City of Wanneroo's current operative District Planning Scheme No.2 (DPS No.2) with a density coding of R40. Lot 1022 is also located within the Agreed Structure Plan Area No.43 entitled 'Yanchep-Two Rocks District Structure Plan No.73', with a Detailed Area Plan (DAP) entitled 'Sun City – Lot 122 (No.140) St Andrews Drive, Yanchep' being prepared and includes the Subject Land.

Under the terms of the City's DPS No.2, the development and use of land classified 'Residential' zone for 'Child Care Premises' purposes is identified as a discretionary ("D") use, meaning a use is not permitted unless the local government has exercised its discretion by granting development approval.

Lot 1022 is irregular in shape, comprises an area of 2,062m² and contains vehicular access from St Andrews Drive along its western lot boundary. The Subject Land is currently vacant/unused land and does not comprise any physical improvements or vegetation.

The proposed development includes the construction of a single storey building for child care premises.

1.1 **Building Area**

A copy of the site development plans are provided in Appendix 3. It is significant to note that the development will comprise a floor area of 1,369.8704.35m² (including the outdoor play area and other facilities). The following table provides a breakdown of the areas for the development:

Table 1 - Floor Area Usage

USAGE	AREA
Child Care Premises	675.56m ²
Outdoor Plan Area	672.99m²
Store & Portico	21.32m²
Total Active Area of Child Care Centre	1,369.87m²

For the purpose of calculating waste generation, it should be noted that the floor area of the staff room, reception, kitchen/prep, cot room, meeting room, planning room and playrooms (i.e. active areas) of the proposed child care premises totals 403.2m² (round up to **405m²** for the purpose of this WMP).



2.0 PURPOSE OF WASTE MANAGEMENT PLAN

This Waste Management Plan has been prepared and submitted to the City of Wanneroo as part of the current development application being considered for the Subject Land.

The aim of this Plan is to:

- 1. Identify the indicative volume of waste generation.
- 2. Ensure adequate facilities are provided to serve the future operations of the child care premises on the Subject Land.
- 3. Demonstrate the proposed design meets industry best practice.
- 4. Provide for an adequate on-site bin pick-up location and minimize any impacts on traffic safety and vehicle movements along the adjoining road network.
- 5. Develop the framework of operational procedures required from the center operator to ensure that the management of waste is to best practice.

3.0 KEY REFERENCE MATERIAL

- WALGA Commercial and Industrial Waste Management Plan Guidelines;
- New South Wales (NSW) Better Practice Guidelines for Waste Management and Recycling in Commercial and Industrial Facilities;
- Sustainability Victoria (Victorian State Government); and
- Discussions with the City of Wanneroo Planning Department.

4.0 ESTIMATED VOLUMES & BIN TYPE

4.1 Types of Waste Generated

Commercial and industrial operations can generate a wide variety of the waste types. Table 2 below lists the types of waste typically generated for commercial/industrial developments (Table from WALGA 'Commercial and Industrial Waste Management Plan Guidelines'). It is recognised that the waste type generated will vary between different business operations.

Table 2 - Waste Types

WASTE STREAM	COMMENT
General Waste	The quantity and composition of general waste generated by a commercial or industrial operation can vary significantly. General waste includes non-recyclable plastics, food waste, recyclable packaging which is contaminated with food waste and other non-recyclable materials, as well as recyclables which have not been placed in the correct bin.
Recyclables	Workers frequently consume beverages packaged in recyclable containers, such as aluminium cans and polyethylene terephthalate (PET) bottles and milk is often provided by organisations in liquid paperboard or high density polyethylene (HDPE) containers. These materials can form



	a significant proportion of the waste stream in commercial and industrial buildings. Occasional company events can also generate irregular but significant quantities of glass and other containers.
Glass	Glass bottles are a primary component of the waste streams generated within licensed venues such as pubs and clubs, as well as food retailers such as cafes and some take-away shops. Glass is very dense which makes it difficult to store and move efficiently
Office Paper	Waste audits have shown that by quantity, paper is by far the largest waste stream generated from offices. Office paper is generally white, A4-size and 80 grams per square metre (gsm, g/m2), although many other combinations of colour, size and grade are also generated. Office paper is a higher grade paper and as it is usually generated in large quantities it is generally collected separately and recycled.
Cardboard and Bulk Packaging	Most waste generated from non-food retail facilities is bulk packaging material that protects goods delivered to the facility for sale or distribution.
Plastic Film	Plastic film, such as shrink pallet wrap, is another major component of non-food retail building waste. This material is very bulky, but very light weight and compacts well.
Food Waste	Most commercial and industrial developments generate some quantities of food waste. The volumes of food waste generated within a development can vary significantly depending on the type and scale of the business; ranging from uneaten employee/staff meals within office buildings through to food outlets, which can produce large quantities of food waste on a daily basis.
Cooking Oil & Grease	Used cooking oil is produced in large volumes by food retailers such as fish and chips shops and fried chicken stores. Waste oil can cause significant issues if improperly disposed of to the sewage system.
Controlled Waste	The Environmental Protection (Controlled Waste) Regulations 2004 apply to a controlled waste that is produced by, or as a result of: • An industrial or commercial activity • A medical, nursing, dental, veterinary, pharmaceutical or other related activity • Activities carried out on or at a laboratory • An apparatus for the treatment of sewage. An apparatus for the treatment of sewage. Controlled Waste is defined as all liquid waste, and any waste that cannot be disposed at a Class I, II or III landfill site.
Other Wastes	These can include printers, copies, and toner cartridges, IT equipment, batteries, mobile phones, furniture, florescent lights, paint, pallets and mattresses, timber, ferrous and non-ferrous metal

The staff of the child care centre will be responsible to sort the waste through the provision of labeled bins throughout the building. The waste and recyclable streams that would apply to the proposed child care premises on the Subject Land would be as following:

- · General waste; and
- Co-mingled recycling, which includes all paper, cardboard, plastic, glass, aluminum and steel cans.

4.2 Volume

As previously mentioned, the proposed new child care premises on the Subject Land will include the construction of one (1) building comprising an active area (i.e. internal and external) of 1,369.8704.35m². For the purpose of calculating waste generation, it should be noted that the floor area of the staff room, reception, kitchen/prep, cot room, meeting room, planning room and playrooms (i.e. active areas) of the proposed child care premises total 405m².

In order to provide the necessary service, this Waste Management Plan estimates the volume of waste generated by the use. The waste generation rates prescribed by 'Sustainability Victoria' has been adopted for the proposed child care centre (using the generation rates prescribed for 'Commercial Development – Childcare').

In light of the above and in accordance with Sustainability Victoria, the following weekly waste generations rates associated for each stream of waste (i.e. general waste and recycling) are provided:

Table 3: Waste Generation Rates

USE TYPE	GENERAL WASTE	RECYCLE WASTE
Childcare	350L/100m ² per week	350L/100m ² per week

It should be noted that the proposed child care centre on the Subject Land will operate between Monday to Friday (i.e. 5 days).

The following equation was used to calculate the anticipated weekly general waste and recycling generation:

Waste, recycle generation calculations

Total Amount of Waste Type = (Floor Area/100m²) x Waste Rate

The following weekly waste generation calculations are provided in support of the development for the purpose of establishing the number of bins required in support of the new child care centre, based on the entire usable area of the site:

Table 4 – Weekly Waste Generation

USE TYPE	AREA OF BUILDING (ACTIVE SPACE)	GENERAL WASTE	RECYCLE WASTE
Child Care Premises	405m²	1,417 litres	1,417 litres

4.3 Bin Type

Given the volume of waste being generated by the proposed use on the land, this Waste Management Plan recommends the use of 240L rubbish bins to service the property with collection rates for each stream of waste will be once per week. Figure 1 illustrates the dimension of a 240L bin.




Figure 1 – Bin type & dimensions

The following equation was used to calculate the number of bins required to service the development:

<u>Total bins required for general/recycle waste</u>
 Total Number of Bins Required = Total Weekly Waste Generated/240L.

Given the waste generation calculation outlined in Table 4, the following bin requirements will be applied to the proposed child care centre on the Subject Land:



General waste binsRecycle waste bins6 x 240L
6 x 240L

It should be noted that there is sufficient space within the proposed bin storage areas to accommodate the various bins required to service the development. The following calculation (i.e. Table 5) are provided in support of the waste generation and the number of bins required to service the use:

The following calculation are provided in support of the waste generation and the number of bins required to service the use:

Table 5 - Bin Capacity

WASTE TYPE	BIN SIZE	NUMBER OF BINS	COLLECTION INTERVALS	BIN CAPACITY	ACTUAL WASTE COLLECTION
General Waste	240L	6	1 per week	1,440L per week	1,417 litres
Recycle Waste	240L	6	1 per week	1,440L per week	1,417 litres

In light of the above bin capacity calculations, it is contended that the provision of the bin numbers and pick up intervals listed in Table 5, including associated storage facilities, is sufficient to accommodate the needs of the future occupants of the development.

5.0 COLLECTION FREQUENCY & PROVIDER

The operator of the child care premises will appoint a private contractor as the rubbish collection service provider, with the following indicative collection services being provided for the development on the Subject Land:

- Weekly 240 litre general waste bin collection (i.e. potentially Friday).
- Weekly 240 litre recycling bin collection (i.e. potentially Monday).

It is significant to note that all green waste will be collected and disposed of by a private landscape contractor which will collect and disposal of green waste (i.e. small garden prunings etc) as part of the weekly maintenance of the landscaping area and outdoor activity areas of the development.

All bins will be collected by the private contractor on-site using a 9 metre long truck, which is a rear loading truck equipped with a reverse camera system (see Figure 2). The rubbish truck will service the development from the St Andrews Drive, accessing the site in a reverse gear and then exit onto St Andrews Drive in a forward gear. It should be noted that truck will be stationary for a very small period of time within the road reserve to initiate the reverse movement onto the site.

Pick-up times will be undertaken during non-peak periods of the child care premises during a time when parents are not attending the site and therefore allowing for vacant bays within the car parking area. Appendix 2 comprises the truck movement paths prepared by KCTT (consulting traffic engineers) for the City's review.

On collection day, the truck will be stationary for a short period of time on-site, with collection time being outside of the peak vehicle movement periods for the child day care premises (i.e. outside the pick-up and drop-off times). This will result in the rubbish service attending the site between 9am and 2pm twice per week per rubbish type. Given this, it is expected that there will be little disruptions to the on-site vehicle movements experienced during the weekly rubbish pick-up period. Furthermore, the service will not conflict with the peak vehicle movements on the adjoining street.

In light of the above, the service will not impact the nearby residential properties in terms of noise or vehicular movements. Appendix 1 (Bin Storage Location) illustrates the approximate location of the truck being positioned on-site to service the bins.

Overall length	Up to 11m
Overall width	2.5m
Height (travel)	Up to 4.2m
Height (in operation)	Up to 4.2m
Weight (vehicle only)	16.5t
Weight (payload)	11t
Turning circle	20m



Figure 2 – Rubbish truck & specifications to be adopted for the development. The truck comprises a reverse camera to allow for easy and safe access.

6.0 LOCATION, SIZE & FEATURES OF BIN STORAGE AREA

6.1 Bin Store Area & layout

As previously mentioned, the proposed child care premises on the Subject Land will require a total of twelve (12) 240 litre bulk rubbish bins. The following table provides a breakdown of the required area for the bin storage area to accommodate the required bins:

Table 6 – Bin Storage Area

BIN SIZE	BIN AREA ALLOWANCE	QUANTITY	MANOEURING SPACE ALLOWANCE	AREA REQUIRED
240L MGB (General Waste)	0.41m ²	6 bins	X 2	4.92m²
240L MGB (Recycle Waste)	0.41m ²	6 bins	X 2	4.92m²
		Total Area Required		9.84m²
		Total Area provided		15.09m²

Planning & Development Consultants
Address: 3/1 Mulgul Road, Malaga WA 6090

Tel: 9249 2158 Mb: 0407384140 Email: carlof@people.net.au

CVF Nominees Pty Ltd ABN: 86 110 067 395

As demonstrated above, the bin store area comprises sufficient area to accommodate the bins and provide surplus area to accommodate any other waste materials. The bin store area proposed for the development will comprise gates to allow for easy access and storage of the bins. The store has been designed to provide easy removal of the bins for servicing and cleaning (see Appendix 1 – Bin Store Location & Figure 4).

6.2 Bin Store Location & Features

The development will include one (1) bin storage area to service the child care premises on the land.

The bin storage area will be located along the northern side boundary of the Subject Land, abutting the driveway entrance and car parking area associated with the adjoining golf course. As such, the bin store will be located well away from any adjoining residential lots. The bin store will be screened from being visible from the St Andrews Drive by a masonry screen fence (see Appendix 1 – Bin Store Location & Figure 3).



Figure 3 – Aerial Site Plan. Location of the bin store on the Subject Land.



The proposed location of the bin storage area will:

- i) Minimise odour levels impacting on the occupants/patrons of the child care premises;
- ii) The bin store is located away from any habitable rooms of the existing dwelling/s on any adjoining/adjacent properties (in fact the bin store is well away from any residential lots);
- iii) There is sufficient separation between the bin store of the Subject Land and the usable space associated with adjoining golf course; and
- iv) Provide easy access for the future operators of the child care premises.

Key design points of the bin storage area are as follows:

- The bin storage area will comprise a tap and connection to sewer for wash-down purposes.
- The bin storage area will comprise a 100mm concrete floor.
- The bin store area will be screened (i.e. 1.8 metre high masonry wall) and gated to hide its view from the street, the car parking area, the outdoor play area and will provide security.
- The bin store will be well away from the outdoor play area and will provide security.
- The bin storage area will be secured and screened from the operators of the development.
- · Adequate space to move and access bins.
- Provide adequate ventilation of the bins store area.
- Install appropriate signage.
- Provide a secure area from theft and vandalism.
- Adequate on-site collection area (see Appendix 1 Bin Store Location & Figure 4).



Figu re 4 – The proposed bin storage area.



7.0 NOISE, ODOUR & MINIMIZING LANDFILL

It is anticipated that the location of the bin storage area within the car parking area will provide easy access by the operators, in terms of emptying waste from the child care premises operations and servicing the bins for collection.

Noise

The bin storage area will be screened and located within the Subject Land, abutting the car parking area, with adequate separation to any nearby residential developments or sensitive land uses. A masonry fence will be provided between the bin store and the lot boundary to provide a buffer. The bin storage area will comprise a masonry wall around the perimeter of the compound to provide security and reduce any transfer of noise.

It is expected that the bin storage area will generate minimal vertical and horizontal noise transfer during use. As such, it is contended that the noise generated from the bin storage area will not result in any undue impacts on the adjoining properties and would be consistent with noise generated by a typical residential or small commercial development.

In light of the above, it is contended that there will be no notable impacts on the surrounding residential development of the adjoining golf course or any other future development within the immediate area from the proposed child care premises in terms of waste management.

Odour

Strategies to minimize odour are:

- Locating the bin storage area in close proximity to the car parking area, away from any key activity areas/windows to the child care premises;
- Construction of a masonry wall around the perimeter of the bin storage area.
- Screening the bin storage area.
- Allowing for natural ventilation of the bin storage area.
- Regular washing of the bins and storage area.
- Ensure general waste is bagged prior to placement in bins. Recyclables must be rinsed and loose.
- Ensure that bin lids are kept firmly closed.
- Arrange for the general waste bin to be collected on a Friday to limit the amount of waste within the bin over the weekend period.

Minimising landfill

Given that the proposed child care premises on the Subject Land will be provided with two (2) separate bin types (i.e. general waste & recycling), it allows operators of the child care premises to sort rubbish accordingly. The provision of recycling bins will enable occupants of the development to place the following items for recycle collection:



- Glass bottles and jars (excluding broken glass, plates, pottery etc).
- · Plastic bottles and containers.
- Newspapers and glossy magazines, paper, envelopes.
- · Cardboard boxes etc.
- Cans steel and aluminum, excluding aerosols cans.
- · Milk and juice cartons.



This Waste Management Plan has been developed with the aim of reducing waste through best practices and education of staff. It is contended that adequate measures are available for the operators of the child care premises to minimize disposal of rubbish within the general waste bin resulting in long term reduction of landfill.

Vermin

The bin lids will remain closed at all times to reduce access by vermin. The use of bait stations could be implemented/considered by the operator in instances of vermin appearing.

8.0 SCREENING & BLENDING OF BIN STORARE AREA

The bin storage area will be a purpose built compound specifically designed and screened from the public realm (i.e. screened from St Andrews Drive or the adjoining golf course). The materials and finishes of the bin storage compound will harmonise with those materials to be used for the proposed development/building on the land (i.e. masonry).



9.0 IMPACT ON ADJOINING/ADJACENT PROPERTIES

The development on the Subject Land has been designed to locate the bin storage area in a location away from any internal activity areas of the child care premises and provides adequate separation from any key sensitive areas on the adjoining properties.

It is contended that the bin storage area is consistent with a bin storage area akin to a conventional residential development (i.e. grouped or multiple dwelling development) or a small commercial development. Notwithstanding this fact, it is significant to note that the bin store for the new child care premises on the Subject Land is located and will be constructed to minimize any adverse impacts on the adjoining or adjacent properties.

In light of the above, it is contended that any potential impacts on the adjoining and adjacent properties from the proposed bin storage area on the Subject Land is expected to be minimal and would be consistent with the waste disposal activities of a typical a residential or small commercial type development within the immediate locality.

10.0 GENERAL WASTE & RECYCLING TRANSFER

The new child care premises will include adequate general waste and recycle bins within each key functional area of the building to enable staff and patrons of the use to appropriately dispose of waste. This includes the activity areas/outdoor play areas for the child care premises, all amenities and staff rooms throughout the development. The bins will be no larger than 60 litres and will be appropriately labelled or coloured to distinguish between the different waste types.

All bins will be regularly cleaned to reduce the extent of odours and attraction of pests. All waste within the bins located throughout the development will be transferred to the large storage bins once full and at the end of every day. This will include cleaning and sanitizing the bins on a daily basis to reduce any potential odours or pests.

11.0 MANAGEMENT REQUIREMENTS (WASTE MANAGEMENT)

The appointed centre manager for the child care centre will be responsible to:

- i) Appoint a staff member to be responsible for:
 - arranging pick-up times for the bins by the private contractor;
 - arrange for all internal bins to be emptied daily or when full and arrange for the bins to be cleared and sanitized daily;
 - coordinating the cleaning of the bins and bin storage areas every two (2) to three (3) weeks;
 - Ensure the bins are in working order and arrange maintenance if required; and
 - Ensure all staff/cleaners of the child care premises are aware of the requirements/responsibility of the waste management plan.
- ii) Ensure litter is cleaned up through regular landscape maintenance;
- iii) Co-ordinate the ordering of any skip bins if required for bulk pick-ups;



- iv) Deal promptly with any issues or complaints relating to hygiene, noise, odour or other inconvenience; and
- v) Arrange for a private contractor to collect and disposal of green waste (i.e. small garden prunings etc) as part of maintaining the landscaping areas for the development.

A copy of the Waste Management Plan will be maintained within the office/administration area of the child care centre for reference and records.

12.0 CONSTRUCTION WASTE

During construction, a waste compound will be provided on-site to store any waste produced during the construction process and will be serviced regularly (when required) by a private contractor. The contractor will provide off-site sorting of the waste to ensure that waste is recycled where possible to minimize landfill waste.

Sub-contractors will be responsible for pre-sorting of waste products into appropriate areas within the waste compound as much as possible to reduce overall construction costs. The site manager will monitor the disposal of waste and sorting of recycle material.

No waste compounds or rubbish will be placed or stored on the street verge area or footpaths surrounding the project boundaries. All pedestrian and vehicle access areas will remain clear from construction debris at all times.

More details regarding on-site management during the construction phase of the development will be provided as part of a Construction Management Plan (CMP) to be prepared by the builder prior to the commencement of construction. The requirement for a CMP is typically imposed as a condition on any development approval granted by the determining authority.

13.0 CONCLUSION

As demonstrated within this Waste Management Plan, the proposed child care premises on Subject Land provides sufficient bin storage and adequate bins to service the business operations for both general waste and recyclables. Given the waste levels generated, the use of 240 litre bins for each waste stream and collected once per week is adequate to service the needs of the proposed development on the Subject Land.


Furthermore the servicing of the bins by the private contractor (on-site) can adequately be achieved without having an adverse impact on the local residents and the local street network. An appointed staff member of the child care premises will be responsible to oversee the operation/implementation of the waste management plan.

11 October 2023

CF Town Planning & Development Planning & Development Consultants




APPENDIX 1 – BIN STORE LOCATION




Location of Bin Storage Area





Bin Storage Area (Site Plan)




Bin Storage Area (Elevations)



APPENDIX 2 – WASTE TRUCK MOVEMENTS

CF Town Planning & Development



CF Town Planning & Development






APPENDIX 3 – SITE DEVELOPMENT PLANS

MAC HOMES

Address:Lot 1022 (#150) St Andrews Drive, YANCHEP

Childcare Centre

Job Number: 21109









Revision	Description	Date
001	Concept Design	19.01.22
002	Sketch	20.01.22
003	Sketch	11.02.22
004	Sketch	22.02.22
005	Sketch	24.02.22
006	Sketch	29.07.22
007	Planning Drawings	31.07.23
800	Hydraulic	23.08.23
009	Planner Comments	10.10.23



Client
MAC HOMES

Project Name
Childcare Centre

Project Address
Lot 1022 (#150) St Andrews Drive,
YANCHEP
Drawing Title:

3D

Scale:

1:1.82


Project No:

Revision Number:

21109

Drawing No.:

02 of 0





ROSS McLOUGHLIN CONSULTING SURVEYOR JOONDALUP: UNIT 1, 9 MERCER LANE LANCELIN: 4 SALVAIRE CRESCENT MOBILE 0419 255 999 EMAIL rossmac@iinet.net.au

LOT 1020 (No.150) ST ANDREWS DRIVE - YANCHEP SITE PLAN - STRATALOT 9 LOCAL AUTHORITY: CITY OF WANNEROO SURVEYOR: RAM SCALE: 1:200 @ A1 SIZE DATE: 24.7.2019 PLAN: LOT 9 ON STRATA PLAN 70720 DRAWN: RAM SDR FILE: YP5 AREA: 4138m ²


DATUM: CHECK CERTIFICATE OF TITLE FOR EASEMENTS, RESTRICTIVE COVENANTS, ETC. THIS SURVEY DOES NOT GUARANTEE THE CORRECT POSITION OF BOUNDARY PEGS OR FENCES. ALL FEATURES AND BUILDING POSTIONS ARE APPROXIMATE ONLY, AS THEY HAVE BEEN POSITIONED FROM MEASUREMENTS TAKEN FROM EXISTING PEGS, FENCES AND WALLS. INFORMATION SHOWN ON THIS PLAN IS CURRENT AT THE DATE SHOWN. ROSS McLOUGHLIN SURVEYS ACCEPTS NO RESPONSIBILITY FOR ANY CHANGES THAT HAVE OCCURED AFTER THIS DATE TO SITE LEVELS, FEATURES OR BUILDINGS. CADASTRAL BOUNDARY DIMENSIONS SHOWN HAVE BEEN OBTAINED FROM SURVEY PLANS AND ARE SUBJECT TO FIELD SURVEY.

A BOUNDARY RE-ESTABLISHMENT SURVEY IS RECOMMENDED PRIOR TO UNDERTAKING ANY SITE WORKS OR CONSTRUCTION.






DRIVE









Client MAC HOMES Project Name Childcare Centre

Project Address
Lot 1022 (#150) St Andrews Drive,
YANCHEP
Drawing Title:

Existing Site Survey

1:200 Project No:

03 of 08




©COPYRIGHT


This plan shall remain the sole property of GERMANO DESIGNS and must not be given, lent, resold or otherwise disposed or copied without permission in writing of the company.

ROSS McLOUGHLIN CONSULTING SURVEYOR JOONDALUP: UNIT 1, 9 MERCER LANE LANCELIN: 4 SALVAIRE CRESCENT MOBILE 0419 255 999 EMAIL rossmac@iinet.net.au


LOT 1020 (No.150) ST ANDREWS DRIVE - YANCHEP SITE PLAN - STRATALOT 9 LOCAL AUTHORITY: CITY OF WANNEROO SURVEYOR: RAM SCALE: 1:200 @ A1 SIZE DATE: 24.7.2019 PLAN: LOT 9 ON STRATA PLAN 70720 DRAWN: RAM SDR FILE: YP5 DATUM: AREA: 4138m ²

CHECK CERTIFICATE OF TITLE FOR EASEMENTS, RESTRICTIVE COVENANTS, ETC. THIS SURVEY DOES NOT GUARANTEE THE CORRECT POSITION OF BOUNDARY PEGS OR FENCES. ALL FEATURES AND BUILDING POSTIONS ARE APPROXIMATE ONLY, AS THEY HAVE BEEN POSITIONED FROM MEASUREMENTS TAKEN FROM EXISTING PEGS, FENCES AND WALLS. INFORMATION SHOWN ON THIS PLAN IS CURRENT AT THE DATE SHOWN. ROSS McLOUGHLIN SURVEYS ACCEPTS NO RESPONSIBILITY FOR ANY CHANGES THAT HAVE OCCURED AFTER THIS DATE TO SITE LEVELS, FEATURES OR BUILDINGS. CADASTRAL BOUNDARY DIMENSIONS SHOWN HAVE BEEN OBTAINED FROM SURVEY PLANS AND ARE SUBJECT TO FIELD SURVEY. A BOUNDARY RE-ESTABLISHMENT SURVEY IS RECOMMENDED PRIOR TO UNDERTAKING ANY SITE WORKS OR CONSTRUCTION.






DRIVE









MAC HOMES Project Name

Childcare Centre Project Address
Lot 1022 (#150) St Andrews Drive,
YANCHEP
Drawing Title:

Site Plan

Drawing No.:

04 of 08

©COPYRIGHT

This plan shall remain the sole property of GERMANO DESIGNS and must not be given, lent, resold or otherwise disposed or copied without permission in writing of the company.







144 St Andrews Dr, Yanchep



Residential - St Andrews Drive



Yanchep Rise Primary School

Revision Project N	Description	Da
001	Concept Design	19
002	Sketch	20
003	Sketch	11
004	Sketch	22
005	Sketch	24
006	Sketch	29
007	Planning Drawings	31.
800	Hydraulic	23.
009	Planner Comments	10



Client
MAC HOMES

Project Name
Childcare Centre
Project Address

Project Address
Lot 1022 (#150) St Andrews Drive,
YANCHEP
Drawing Title:

Context Plan

Scale: Sheet Size: Froject No: Revision Number:

Drawing No.:





Material & Colour Schedule

North Elevation



Acrylic Render Dulux "Mt Aspiring"



Acrylic Render Dulux "Champignon"



Face Brick
Midland Brick Recycled




Vertical Cladding "Axon Cladding"




Colorbond Roof "Monument"




Window Frames "Marble Black Satin"




Awning
Dulux "Mt Aspiring



P/Coated Fence
















Client
MAC HOMES

Project Name
Childcare Centre
Project Address
Lot 1022 (#150) St Andr

Lot 1022 (#150) St Andrews Drive,
YANCHEP
Drawing Title:
Elevations

Scale:
Sheet Size:
Project No:
Revision Number:

21109

07 of 08

