

HEALTH (MISCELLANEOUS PROVISIONS) ACT 1911
HEALTH (TREATMENT OF SEWAGE AND DISPOSAL OF EFFLUENT AND LIQUID WASTE) REGULATIONS 1974
CITY OF WANNEROO HEALTH LOCAL LAWS 1999
ENVIRONMENTAL PROTECTION ACT 1986 UNAUTHORISED DISCHARGE REGULATIONS 2004

# APPLICATION TO CONSTRUCT OR INSTALL AN APPARATUS FOR THE DISPOSAL OF TREATED LIQUID WASTE DISCHARGE

THE APPLICANT MUST COMPLETE IN FULL SECTIONS 1-6.

1. APPLICATION DETAILS
See information for applicants page 3 (Please tick as appropriate)
Application to local government
Manufacturer specifications of oil separator
For retrospective approvals a copy of a recent NATA accredited analytical report detailing quality of treated waste water
2 copies of plans (showing all details outlined in section 10. Information for applicants)
2. LOCATION OF INSTALLATION
Street/ Lot NoSuburb
Unit No Zoned
Note: Applicants are advised that the discharge of any treated waste water via soakwell or leach drain will not permitted within the Resource Zone
3. OWNER/ APPLICANT DETAILS
Owners Name
Plumbers/ Installers NameLic#
Applicants Name
Applicants Adress
Phone NoMobile
Note: The approved application will be returned to the applicant only
4. PREMISES DETAILS
Premises description (Please tick as appropriate)
□ New   □ Existing   □ Commercial   □ Industrial   □ Other please specify
Expected daily waste water volume (estimate litres per day)
Business NameBusiness type
Description of the trade waste (hydrocarbons, coolant etc)
Size/ type of equipment being washed
Size of washdown pad (if greater than 20 metres squared it is required to be covered)

5. SYSTEM DETAIL					
(Please tick as appropria  Type of apparatus	ate)  Oil Separator	r D Other please	e specify		
. ypo o. apparatuo		_	_		
Disposal System	☐ Soakwell	Leach drain	Other please specify		
6. DECLARATION A	ND SIGNATURE	OF APPLICANT			
apparatus as referred to	o above. I have a showing the locat	ttached copicion of the apparatus	on behalf of the owner, for a es of a site plan, (see infor s and all the relevant dime	rmation for a	applicants section for
Applicants signature				Date	
Please print name					
	LOC	AL GOVERNMENT	Γ OFFICE USE ONLY		
7. SITE CONDITION	e				
(Please tick as appropria					
Nature of soil  Sand Gravel	□ Loam □	] Clay □ Other p	olease specify		
Depth from natural grour	nd level to highest k	known permanent/ se	asonal or tidal water table		
Distance from natural wa	ater bodies				
Will the apparatus be ins					,
	-	-		_	
Within 30 m of a well, bo	ore, watercourse, da	am intended to be use	ed for human consumption	∐ Yes	∐ No
In an area likely to be su	bject to flooding or	inundation in a 1: 100	) year return event	☐ Yes	□ No
If yes to any of the above	e, course of action	taken			
8. CONDITIONS OF	APPROVAL				
Standard Conditions					
			to have a sample of the warm is complying with discharge		analysed by a NATA
Other conditions Refer to the conditions o	f approval attached	to the approved plan	ne		
Kelei to the conditions o	i appioval allached	ιο της αρριόνεα ριαι	io		

9. APPROVAL			
☐ Approved (subject to condi☐ Refused (reasons for refus	•		
Delegate of local government_		Date	
Receipt No	Approval No	Fee Received 🗆 Yes 🔻 No	

# 10. INFORMATION FOR APPLICANTS

Application to local government must be accompanied by:

- Section 1-6 of above form completed
- Manufactures specifications of oil separator
- For retrospective approvals a copy of a recent NATA accredited analytical report detailing quality of treated waste water
- 2 copies of site plans as detailed below
- Fee

#### **Drawings**

Site plans should be drawn to a scale of 1:100, and be labelled with all dimensions and include the following detail:

- Location of the apparatus and all drains and pipe work.
- Distance of the apparatus from all buildings, boundaries, bores, waterways and water bodies.
- Distance of all receptacles for drainage from trafficable areas.

#### **Waste Water Quality**

Discharge criteria: The following waste water quality criteria are drawn from the "Indicative Wastewater Discharge Criteria", Table 1, Mechanical Equipment Washdown – WQPN68 Department of Water 2006. In all cases, applicants will be required to satisfy the City that these criteria can be achieved before approval to discharge on site will be issued.

- PH: In the range of 5.5 to 8.5
- Salinity: Measured as electrical conductivity less than 1800 uS/cm
- Surfactants: Should not exceed 5mg/L
- Total Petroleum Hydrocarbons: Should not exceed 15 mg/L
- Benzene, toluene, ethyl benzene & xylene: Should not exceed 10 μg/L
- All other contaminants i.e. heavy metals should not exceed the Australia and New Zealand Guidelines for Fresh and Marine Water Quality (2000).

### **Testing**

- General maintenance and, inspections on the system should be performed weekly.
- The waste water system mechanical operating performance should be tested quarterly.
- All inspection results, start up analytical data etc should be recorded in a log book, and data kept for 2 years.
- Where required by regulatory authorities, the site operator should take representative samples at least 6 monthly and sent for laboratory analysis. The analysis shall be compared to the discharge water quality guidelines stated above (Indicative Wastewater Discharge Criteria, Table 1, Mechanical Equipment Washdown WQPN68 Department of Water 2006).

## 11. WORK NOT TO COMMENCE

The applicant will be notified in writing of the outcome of this application

Note: Please note that to start work on the construction or installation of an apparatus without approval is an offence under section 107(2) of the *Health (Miscellaneous Provisions) Act 1911*.

## 12. PERMIT TO USE APPARUTUS

When you have obtained approval, you may proceed with the construction or installation of the apparatus. Before covering the installation, notify an Environmental Health Officer from the local government so that they may inspect the apparatus and issue a permit to use the apparatus. Apparatus must be full and holding clean water for 24 hours prior to inspection.

## 13. COMPLIANCE WITH REGULATIONS

- Construction of the apparatus shall be in accordance with the requirements of the Health (Treatment of Sewage and Disposal of Effluent and Liquid Waste) Regulations 1974 and City of Wanneroo Guidelines for Liquid Waste Discharge and Mechanical Washdown Bays.
- All Materials, pipes, bends, junctions, fittings and fixtures shall be sound and free from defects and shall be authorised and installed in accordance with the by laws of the Water Corporation.
- Approval will not be given for the installation of an apparatus where sewer connection is available as provided for by either section 72 or section 81 of the Health (Miscellaneous Provisions) Act 1911.

## 14. FEE

All fees should be made payable to the local government for the district in which the apparatus will be installed.

The following fees will apply (19/20 financial year)

- Local government application fee: \$118.00
- Fee for the grant of a permit to use an apparatus (including inspections): \$118.00
- Total: \$236.00

\*No refunds for application fees.

Address:				
Credit Card Payments (please note, payments by credit card incur a surcharge of 0.57% (inc GST))				
MasterCord V/SA				
Name on Card:	Expiry Date:			
Card Number:	\$			
Signature:	Date:			