No	REVISION	BY	DATE	AUTH
0.	ISSUED	J.W.T.	8/2001	
1.	UPDATED TITLE BLOCK BRAND	K.R.	7/2022	P.W.

VERGE WIDTH (m)

DISTANCE FROM BOUNDARY (m)

	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5
1.2	0.19	0.20	0.21	0.26	0.31	0.36	0.41	0.46	0.51	0.56	0.61	0.66
1.6	0.24	0.25	0.26	0.31	0.36	0.41	0.46	0.51	0.56	0.61	0.66	0.71
2.0	0.29	0.30	0.31	0.36	0.41	0.46	0.51	0.56	0.61	0.66	0.71	0.76
2.4	0.35	0.36	0.37	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85
2.8	0.41	0.42	0.43	0.54	0.59	0.64	0.69	0.74	0.79	0.84	0.89	0.94
3.2	0.46	0.47	0.48	0.63	0.68	0.73	0.78	0.83	0.88	0.93	0.98	1.03
3.6	0.52	0.53	0.54	0.72	0.77	0.82	0.87	0.92	0.97	1.02	1.07	1.12
4.0	0.58	0.59	0.60	0.81	0.86	0.91	0.96	1.01	1.06	1.11	1.16	1.21
4.4	0.68	0.69	0.70	0.91	0.96	1.01	1.06	1.11	1.16	1.21	1.26	1.31
4.8	0.78	0.79	0.80	1.01	1.06	1.11	1.16	1.21	1.26	1.31	1.36	1.41
5.2	0.88	0.89	0.90	1.11	1.16	1.21	1.26	1.31	1.36	1.41	1.46	1.51
5.6	0.98	0.99	1.00	1.21	1.26	1.31	1.36	1.41	1.46	1.51	1.56	1.61
6.0	1.08	1.09	1.10	1.31	1.36	1.41	1.46	1.51	1.56	1.61	1.66	1.71
6.4	1.18	1.19	1.20	1.41	1.46	1.51	1.56	1.61	1.66	1.71	1.76	1.81
6.8	1.28	1.29	1.30	1.51	1.56	1.61	1.66	1.71	1.76	1.81	1.86	1.91
7.2	1.38	1.39	1.40	1.61	1.66	1.71	1.76	1.81	1.86	1.91	1.96	2.01
7.6	1.48	1.49	1.50	1.71	1.76	1.81	1.86	1.91	1.96	2.01	2.06	2.11
8.0	1.58	1.59	1.60	1.81	1.86	1.91	1.96	2.01	2.06	2.11	2.16	2.21
8.4	1.68	1.69	1.70	1.91	1.96	2.01	2.06	2.11	2.16	2.21	2.26	2.31
8.8	1.78	1.79	1.80	2.01	2.06	2.11	2.16	2.21	2.26	2.31	2.36	2.41
9.2	1.88	1.89	1.90	2.11	2.16	2.21	2.26	2.31	2.36	2.41	2.46	2.51
9.6	1.98	1.99	2.00	2.21	2.26	2.31	2.36	2.41	2.46	2.51	2.56	2.61
10.0	2.08	2.09	2.10	2.31	2.36	2.41	2.46	2.51	2.56	2.61	2.66	2.71
10.4	2.18	2.19	2.20	2.41	2.46	2.51	2.56	2.61	2.66	2.71	2.76	2.81
10.8	2.28	2.29	2.30	2.51	2.56	2.61	2.66	2.71	2.76	2.81	2.86	2.91
11.2	2.38	2.39	2.40	2.61	2.66	2.71	2.76	2.81	2.86	2.91	2.96	3.01
11.6	2.48	2.49	2.50	2.71	2.76	2.81	2.86	2.91	2.96	3.01	3.06	3.11


MAXIMUM FINISHED CARPORT LEVEL ABOVE KERB

VERGE WIDTH (m)

DISTANCE FROM BOUNDARY (m)

	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5
12.0	2.58	2.59	2.60	2.81	2.86	2.91	2.96	3.01	3.06	3.11	3.16	3.21
12.4	2.68	2.69	2.70	2.91	2.96	3.01	3.06	3.11	3.16	3.21	3.26	3.31
12.8	2.78	2.79	2.80	3.01	3.06	3.11	3.16	3.21	3.26	3.31	3.36	3.41
13.2	2.88	2.89	2.90	3.11	3.16	3.21	3.26	3.31	3.36	3.41	3.46	3.51
13.6	2.98	2.99	3.00	3.21	3.26	3.31	3.36	3.41	3.46	3.51	3.56	3.61
14.0	3.08	3.09	3.10	3.31	3.36	3.41	3.46	3.51	3.56	3.61	3.66	3.71

MAXIMUM FINISHED CARPORT LEVEL ABOVE KERB



TYPICAL PROFILE OF TREATMENT ABOVE KERB

NOTES:

1. NO MODIFIED VERGE DETAILS FOR GRADINGS BELOW KERB.
2. FOR VERGE LEVELS REFER TO DRG No TS 07-5.
3. ONLY TO BE USED WITH COUNCIL APPROVAL.

SCALE: DIAGRAMMATIC	DATUM: N/A	GRID: N/A	
DESIGNED: C.O.W. CIVIL DESIGNER	DESIGN CHECKED:	APPROVED: * B. McCAWLEY 28/7/2022 COORDINATOR ASSET PLANNING SERVICES	
DRAWN: C.O.W. CIVIL DESIGNER	DESIGN ARCHIVE:	APPROVED: * B. CHANG 1/8/2022 MANAGER ASSET PLANNING	
DRAWING ARCHIVE:	STANDARDS CHECK: * J. SONG 1/8/2022 TRANSPORT & DRAINAGE ASSET PLANNER	APPROVED: * B. GEE 1/8/2022 DIRECTOR ASSETS	

CROSSOVERS AND VERGE

RESIDENTIAL

DRIVEWAY GRADINGS WITH MODIFIED 2% / 10% VERGE

MAXIMUM LEVEL ABOVE KERB

STANDARD

CITY OF WANNEROO

ASSETS

FILE No.	DRAWING No.	SHEET	REVISION	ORIGINAL DRG. SIZE
N/A	TS 07 -7-1			A3

PROJECT No. N/A